

HAZARD	PERSONS AFFECTED	RISK	CONTROL MEASURES
Falling shot and shards of clay causing: 1. Cuts and abrasions 2. Eye injury	Shooters, visitors, spectators and ground operatives	MEDIUM	Post warning notices at all stands and entrance to shoot Recommend headwear Set traps according to weather conditions and so that fallout is confined to exclusion zones.
Use of firearms leading to: 1. Fatality 2. Serious trauma 3. Severe bleeding	Shooters, visitors, spectators and ground operatives	MEDIUM	Produce a gun safety policy that gives clear guidance on safe gun handling and use. Display prominently at booking in desk and above gun racks. Produce a drugs and alcohol policy that states the action that will be taken against anyone suspected of taking drugs or consuming alcohol. Make provision to report offenders to the police
Slips trips and falls 1. Serious 2. Musculo-skeletal injuries 3. Cuts, bruises and abrasions	Shooters, visitors, spectators and ground operatives	MEDIUM	Produce a checklist and review potential hazards on a regular (monthly?) basis. Details of nominated first aider to be displayed. Adequate, portable first aid kit to be provided and kept up to date. Walkways and shooting stands to be in good repair with no uneven surfaces. Additional provision to be made during winter, sub zero, temperatures for gritting walkways. Tower to be fitted with guardrails, unprotected gaps must not exceed 300mm. Access ladders must be securely fastened top and bottom. Ladders to be inspected for damage and deterioration on a regular basis. Lifting devices to be used to raise boxes of targets to platform level. Waste bins for spent cartridges to be provided at each stand. Bins to be emptied regularly. Signs requesting use of bins to be posted on each stand.
Excessive noise leading to: 1. Hearing damage 2. Serious injury	Shooters, visitors, spectators and ground operatives	LOW	Ensure hearing protection (PPE) is worn by anyone coming within 50m of a shooting Stand. Ensure there is a robust policy to enforce its use. Consider the use of man made or natural screening to reduce the noise to neighbours. Insist on the use of sub-sonic loads and fibre wads to reduce noise levels.
Assessed By Name:	Signature	Date:	

HAZARD	PERSONS AFFECTED	RISK	CONTROL MEASURES
<p>Trap operation and maintenance causing:</p> <ol style="list-style-type: none"> 1. Serious injury 2. Musculo-skeletal injuries 3. Cuts and abrasions 	Ground operatives	MEDIUM	<p>All staff involved in the handling and filling of traps to receive adequate training in their use, particularly in the lifting, carrying and manoeuvring of traps and boxes of targets.</p> <p>Document the training provided.</p> <p>Operatives to be issued with PPE, i.e. footwear, gloves, ear and eye protection and hard hats.</p> <p>Introduce a robust policy to enforce the use of PPE</p> <p>Operatives to have two way radio communication to ensure effective links with management and referees.</p> <p>Ensure that there is a written scheme of maintenance for traps and associated equipment.</p>
<p>Traffic movements causing:</p> <ol style="list-style-type: none"> 1. Musculo-skeletal injuries 2. Crushing 3. Trapping 4. Serious injury 	All	MEDIUM	<p>Speed in car parking area to be restricted to 10mph.</p> <p>Signs to be erected at entrance to this effect.</p> <p>Operatives using quad bikes to be restricted to 10mph on walkways.</p> <p>Provision to be made for access of emergency vehicles.</p> <p>Ensure emergency action plan, detailing emergency phone and contact numbers and ground location, is prominently displayed in clubhouse.</p>
<p>Hazardous substances (Battery acid & Toxic fumes)</p> <ol style="list-style-type: none"> 1. Respiratory problems 2. Eye injuries 3. Skin disorders 4. Serious injury 	Ground operatives	LOW	<p>Provide PPE to all ground operatives.</p> <p>Enforce the wearing of PPE.</p> <p>Train operatives in the correct charging, topping up and handling of batteries.</p> <p>Arrange safe disposal of cartridges at local authority disposal site or via licensed waste disposal company.</p>
<p>Badly positioned isolating switch on high house as have to get near to trap to switch it off causing:</p> <ol style="list-style-type: none"> 1. Cuts and abrasions 2. Musculo-skeletal injuries 3. Serious injury 	Ground operatives	LOW	<p>Have the switch repositioned by a qualified electrician.</p>
<p>Assessed By Name: _____ Signature _____ Date: _____</p>			

HAZARD	PERSONS AFFECTED	RISK	CONTROL MEASURES
<p>Portable appliances</p> <p>1. Electric shock 2. Serious injury</p>	<p>ALL</p>	<p>LOW</p>	<p>Carry out visual inspections as laid down in law. Arrange for PAT testing as laid down in law.</p>
<p>Food hygiene</p> <p>1. Food poisoning</p>	<p>ALL</p>	<p>LOW</p>	<p>Arrange basic food hygiene course for new kitchen staff.</p>
<p>Assessed By Name: _____ Signature _____ Date: _____</p>			